

Rechteckrohre

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
15 x 10 x 1,5	0,18	40 x 30 x 4,0	1,34
20 x 10 x 1,0	0,15	45 x 20 x 2,0	0,66
20 x 10 x 1,5	0,22	45 x 25 x 2,0	0,71
20 x 10 x 2,0	0,28	45 x 34 x 3,0	1,18
20 x 15 x 2,0	0,33	50 x 15 x 2,0	0,66
25 x 10 x 2,0	0,33	50 x 20 x 1,5	0,54
25 x 15 x 2,0	0,39	50 x 20 x 2,0	0,71
25 x 20 x 2,0	0,44	50 x 20 x 2,5	0,88
30 x 10 x 1,5	0,30	50 x 20 x 3,0	1,04
30 x 15 x 1,5	0,34	50 x 20 x 4,0	1,34
30 x 15 x 2,0	0,44	50 x 25 x 2,0	0,77
30 x 20 x 2,0	0,50	50 x 25 x 2,5	0,95
30 x 20 x 3,0	0,71	50 x 25 x 3,0	1,12
30 x 25 x 2,0	0,55	50 x 30 x 2,0	0,82
34 x 20 x 2,0	0,54	50 x 30 x 2,5	1,01
34 x 20 x 3,0	0,78	50 x 30 x 3,0	1,20
35 x 15 x 2,0	0,50	50 x 34 x 3,0	1,26
35 x 20 x 1,5	0,42	50 x 40 x 2,0	0,93
35 x 20 x 2,0	0,55	50 x 40 x 2,5	1,15
35 x 25 x 1,5	0,46	50 x 40 x 3,0	1,36
35 x 25 x 2,0	0,60	50 x 40 x 4,0	1,77
40 x 10 x 2,0	0,50	50 x 45 x 3,0	1,44
40 x 15 x 1,5	0,42	55 x 25 x 2,0	0,82
40 x 15 x 2,0	0,55	55 x 50 x 3,0	1,60
40 x 20 x 1,5	0,46	60 x 10 x 2,0	0,71
40 x 20 x 2,0	0,60	60 x 20 x 2,0	0,82
40 x 20 x 2,5	0,74	60 x 20 x 3,0	1,20
40 x 20 x 3,0	0,87	60 x 25 x 2,0	0,87
40 x 20 x 4,0	1,12	60 x 25 x 3,0	1,28
40 x 25 x 2,0	0,66	60 x 30 x 2,0	0,93
40 x 30 x 2,0	0,71	60 x 30 x 3,0	1,36
40 x 30 x 2,5	0,88	60 x 30 x 4,0	1,77
40 x 30 x 3,0	1,04	60 x 34 x 3,0	1,43

Rechteckrohre

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
60 x 40 x 2,0	1,04	90 x 40 x 3,0	2,01
60 x 40 x 2,5	1,28	100 x 18 x 2,0	1,23
60 x 40 x 3,0	1,52	100 x 20 x 2,0	1,25
60 x 40 x 4,0	1,99	100 x 25 x 2,0	1,31
60 x 50 x 3,0	1,68	100 x 30 x 2,0	1,36
60 x 50 x 4,0	2,20	100 x 30 x 3,0	2,01
70 x 20 x 2,0	0,93	100 x 40 x 2,0	1,47
70 x 25 x 2,5	1,22	100 x 40 x 2,5	1,82
70 x 30 x 2,0	1,04	100 x 40 x 3,0	2,17
70 x 30 x 2,5	1,28	100 x 40 x 4,0	2,85
70 x 30 x 3,0	1,52	100 x 50 x 2,0	1,58
70 x 40 x 3,0	1,68	100 x 50 x 3,0	2,33
70 x 40 x 4,0	2,20	100 x 50 x 4,0	3,07
70 x 50 x 2,0	1,25	100 x 50 x 5,0	3,78
70 x 50 x 4,0	2,42	100 x 60 x 2,0	1,68
75 x 50 x 3,0	1,93	100 x 60 x 2,5	2,09
80 x 20 x 2,0	1,04	100 x 60 x 3,0	2,49
80 x 20 x 2,5	1,28	100 x 60 x 4,0	3,28
80 x 25 x 3,0	1,60	100 x 80 x 3,0	2,82
80 x 30 x 2,0	1,14	110 x 60 x 4,0	3,50
80 x 30 x 3,0	1,68	120 x 20 x 2,0	1,47
80 x 30 x 4,0	2,20	120 x 30 x 2,0	1,58
80 x 40 x 2,0	1,25	120 x 30 x 3,0	2,33
80 x 40 x 2,5	1,55	120 x 40 x 2,0	1,68
80 x 40 x 3,0	1,85	120 x 40 x 2,5	2,09
80 x 40 x 4,0	2,42	120 x 40 x 4,0	3,28
80 x 50 x 2,0	1,36	120 x 50 x 2,0	1,79
80 x 50 x 3,0	2,01	120 x 50 x 4,0	3,50
80 x 50 x 4,0	2,64	120 x 60 x 3,0	2,82
80 x 50 x 5,0	3,24	120 x 60 x 4,0	3,72
80 x 60 x 2,5	1,82	120 x 80 x 3,0	3,14
80 x 60 x 3,0	2,17	130 x 30 x 3,0	2,49
80 x 60 x 4,0	2,85	130 x 50 x 4,0	3,72

Rechteckrohre

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
140 x 20 x 3,0	2,49	160 x 40 x 2,0	2,12
140 x 25 x 2,0	1,74	160 x 60 x 4,0	4,58
140 x 40 x 3,0	2,82	160 x 60 x 5,0	5,67
140 x 60 x 2,5	2,63	160 x 80 x 4,0	5,01
140 x 60 x 4,0	4,15	160 x 80 x 5,0	6,21
140 x 80 x 4,0	4,58	170 x 70 x 4,0	5,01
150 x 25 x 2,0	1,85	180 x 40 x 4,0	4,58
150 x 30 x 2,0	1,90	180 x 50 x 4,0	4,80
150 x 40 x 2,5	2,50	180 x 60 x 3,0	3,79
150 x 40 x 4,0	3,93	200 x 50 x 4,0	5,23
150 x 50 x 4,0	4,15	200 x 60 x 4,0	5,44
150 x 50 x 6,0	6,09	200 x 80 x 4,0	5,88
150 x 60 x 3,0	3,30	200 x 100 x 4,0	6,31
150 x 60 x 4,0	4,36	240 x 100 x 4,0	7,17
150 x 60 x 5,0	5,40	300 x 50 x 4,0	7,39
150 x 100 x 3,0	3,95	300 x 120 x 4,0	8,90
150 x 120 x 5,0	7,02	300 x 120 x 5,0	11,07

Sie suchen Rechteckrohre mit beschichteter Oberfläche?

Alle hier aufgeführten Abmessungen liefern wir auch eloxiert oder pulverbeschichtet. Kurzfristig!

Sprechen Sie uns bitte unbedingt an... +49 (0) 2058 8989383 sales@metallhaus-erdem.de