

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
4 x 0,5	0,01	•			
4 x 1,0	0,03	•			
5 x 1,0	0,03	•	•		
6 x 1,0	0,04	•	•		
7 x 1,0	0,05	•	•		
8 x 1,0	0,06	•	•		
8 x 1,5	0,08		•	•	
8 x 3,0	0,13	•			
9 x 1,0	0,07		•		
10 x 1,0	0,08		•		
10 x 1,5	0,11				•
10 x 2,0	0,14		•		
10 x 3,0	0,18		•		
12 x 1,0	0,09		•	•	
12 x 1,5	0,13		•		
12 x 2,0	0,17		•		
12 x 3,0	0,23			•	•
13 x 1,5	0,15		•		
13 x 2,0	0,19		•		
14 x 1,0	0,11		•		
14 x 1,5	0,16			•	
14 x 2,0	0,20		•		
14 x 2,5	0,24		•		
14 x 3,0	0,28		•		
14 x 3,5	0,31			•	
15 x 1,0	0,12		•	•	
15 x 1,5	0,17		•		
15 x 2,0	0,22		•		
15 x 3,0	0,31		•		
16 x 1,0	0,13		•		
16 x 1,5	0,18		•		
16 x 2,0	0,24		•	•	•
16 x 2,5	0,29		•		
16 x 3,0	0,33		•	•	

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm		Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
16	x	4,0	0,41	•		•
18	x	1,0	0,14	•		
18	x	1,5	0,21	•		•
18	x	2,0	0,27	•		•
18	x	3,0	0,38	•		
18	x	4,0	0,47			•
19	x	1,5	0,22	•		
20	x	1,0	0,16	•		
20	x	1,5	0,24	•		
20	x	2,0	0,31	•	•	•
20	x	2,5	0,37	•		
20	x	3,0	0,43	•	•	•
20	x	4,0	0,54		•	
20	x	5,0	0,64	•		•
20	x	6,0	0,71			•
21	x	3,0	0,46	•		
22	x	1,0	0,18	•		
22	x	1,5	0,26	•		•
22	x	2,0	0,34	•		
22	x	2,5	0,41	•		•
22	x	3,0	0,48	•		•
22	x	4,0	0,61			•
22	x	5,0	0,72		•	•
24	x	4,0	0,68		•	
25	x	1,0	0,20	•		
25	x	1,5	0,30	•		
25	x	2,0	0,39	•		•
25	x	2,5	0,48	•	•	
25	x	3,0	0,56	•	•	•
25	x	4,0	0,71	•		•
25	x	5,0	0,85	•	•	•
25	x	6,5	1,02			•
26	x	2,0	0,41	•		
26	x	3,0	0,58	•		

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
27 x 1,0	0,22		•		
27 x 4,0	0,78		•	•	•
27 x 5,0	0,93			•	
28 x 1,0	0,23		•		
28 x 1,5	0,34		•		
28 x 2,0	0,44		•	•	
28 x 2,5	0,54		•		
28 x 3,0	0,64		•		
28 x 4,0	0,81		•	•	•
28 x 5,0	0,97		•		•
28 x 6,0	1,12			•	
30 x 1,0	0,25		•		
30 x 1,5	0,36		•		
30 x 2,0	0,47		•	•	•
30 x 2,5	0,58		•		
30 x 3,0	0,69		•	•	
30 x 4,0	0,88	•	•	•	•
30 x 5,0	1,06		•	•	•
30 x 6,0	1,22			•	•
30 x 7,0	1,36		•		•
30 x 10,0	1,70		•		•
31 x 3,0	0,71		•		•
31 x 8,0	1,56		•		•
32 x 3,0	0,74		•		
32 x 1,0	0,26		•		
32 x 1,5	0,39		•		
32 x 2,0	0,51		•		
32 x 2,5	0,63		•		
32 x 3,0	0,74		•		
32 x 4,0	0,95			•	
32 x 5,0	1,14				•
32 x 6,0	1,32		•		•
32 x 7,0	1,48			•	
33 x 2,5	0,65		•	•	•

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 0/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
33 x 4,0	0,98		•	•	•
34 x 3,0	0,79				•
34 x 4,0	1,02				•
35 x 1,0	0,29	•			
35 x 1,5	0,43		•		•
35 x 2,0	0,56		•		•
35 x 2,5	0,69		•		•
35 x 3,0	0,81		•		•
35 x 4,0	1,05		•		•
35 x 5,0	1,27			•	•
35 x 7,0	1,66				•
35 x 8,0	1,83				•
35 x 10,0	2,12				•
36 x 1,0	0,30		•		
36 x 2,0	0,58		•		
36 x 3,0	0,84		•		
36 x 4,0	1,09		•		•
36 x 5,0	1,31				•
36 x 7,0	1,72				•
36 x 8,0	1,90				•
37 x 2,5	0,73		•		
38 x 1,5	0,46		•		
38 x 2,0	0,61		•		
38 x 4,0	1,15		•		•
38 x 5,0	1,40				•
38 x 8,0	2,03				•
39 x 3,0	0,92		•		
39 x 5,0	1,44				•
40 x 1,5	0,49		•		
40 x 2,0	0,64		•	•	•
40 x 2,5	0,79		•	•	•
40 x 3,0	0,94		•	•	•
40 x 4,0	1,22	•	•		•
40 x 5,0	1,48		•	•	•

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
40 x 6,0	1,73		•	•	•
40 x 8,0	2,17		•	•	•
40 x 10,0	2,54		•	•	•
40 x 12,5	2,91				•
42 x 1,0	0,35		•		
42 x 2,0	0,68		•		•
42 x 2,5	0,84				•
42 x 3,0	0,99		•	•	
42 x 5,0	1,57			•	•
42 x 6,0	1,83		•		•
42 x 7,0	2,08				•
42 x 8,0	2,31				•
42 x 10,0	2,71				•
43 x 1,5	0,53				•
45 x 1,0	0,37		•		
45 x 1,5	0,55		•		
45 x 2,0	0,73	•	•		•
45 x 2,5	0,90		•		•
45 x 3,0	1,07		•		•
45 x 4,0	1,39			•	•
45 x 5,0	1,70		•	•	•
45 x 6,0	1,98		•		•
45 x 7,0	2,26			•	
45 x 8,0	2,51				•
45 x 10,0	2,97		•		•
45 x 11,0	3,17		•	•	
45 x 12,5	3,44			•	•
45 x 15,0	3,82				•
46 x 3,0	1,09	•	•		
46 x 6,0	2,03				•
47 x 2,0	0,76		•		
47 x 5,5	1,94		•		
48 x 1,5	0,59		•		
48 x 3,0	1,14		•	•	

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
48 x 4,0	1,49		•		•
48 x 5,0	1,82				•
50 x 1,0	0,42	•	•		
50 x 1,5	0,62		•		
50 x 2,0	0,81		•		•
50 x 2,5	1,01		•		•
50 x 3,0	1,20	•	•	•	•
50 x 3,5	1,38		•		
50 x 4,0	1,56	•	•	•	•
50 x 5,0	1,91		•	•	•
50 x 6,0	2,24		•	•	•
50 x 8,0	2,85		•	•	•
50 x 10,0	3,39		•	•	•
50 x 12,0	3,87				•
50 x 15,0	4,45		•	•	•
52 x 1,5	0,64		•		
52 x 4,0	1,63				•
52 x 8,0	2,98				•
53 x 2,0	0,86		•		
53 x 4,0	1,66			•	
53 x 10,0	3,65		•		•
55 x 2,0	0,90		•		
55 x 2,5	1,11		•		•
55 x 5,0	2,12		•		•
55 x 6,0	2,49		•		•
55 x 8,0	3,19		•	•	•
55 x 10,0	3,82			•	•
55 x 12,0	4,37			•	
55 x 15,0	5,09			•	•
55 x 17,5	5,56				•
56 x 3,0	1,35	•	•		
56 x 16,0	5,43				•
57 x 2,5	1,16		•		
57 x 3,5	1,59			•	

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 0/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
58 x 3,0	1,40		•		
58 x 8,5	3,57				•
58 x 10,0	4,07				•
58 x 16,0	5,70				•
60 x 1,0	0,50		•		
60 x 1,5	0,74		•		
60 x 2,0	0,98		•		
60 x 2,5	1,22		•		
60 x 3,0	1,45		•	•	
60 x 4,0	1,90		•		
60 x 5,0	2,33	•	•	•	•
60 x 6,0	2,75		•	•	•
60 x 7,5	3,34		•		
60 x 8,0	3,53		•	•	•
60 x 10,0	4,24		•	•	•
60 x 12,0	4,88			•	•
60 x 15,0	5,72		•		•
60 x 20,0	6,78		•	•	
61 x 2,0	1,00		•	•	
62 x 6,0	2,85		•		
62 x 7,0	3,26				•
63 x 3,0	1,53	•			
63 x 5,0	2,46		•		
63 x 10,0	4,49		•		
63 x 15,0	6,10			•	
63 x 16,0	6,38				•
64 x 3,0	1,55		•		
64 x 12,0	5,29				•
65 x 1,0	0,54		•		
65 x 2,0	1,07		•		
65 x 2,5	1,32		•		
65 x 3,0	1,58		•		
65 x 5,0	2,54		•		•
65 x 6,0	3,00				•

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 0/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
65 x 8,0	3,87				•
65 x 10,0	4,66		•		•
65 x 11,0	5,04				•
65 x 12,0	5,39				•
66 x 3,0	1,60		•		
66 x 8,0	3,93		•		
67 x 2,0	1,10		•		
69 x 3,0	1,68		•		
70 x 1,5	0,87		•		
70 x 2,0	1,15		•		
70 x 2,5	1,43		•		
70 x 3,0	1,70		•		•
70 x 4,0	2,24		•	•	
70 x 5,0	2,76		•		•
70 x 6,0	3,26			•	•
70 x 7,0	3,74				•
70 x 8,0	4,21		•	•	•
70 x 10,0	5,09		•	•	•
70 x 12,0	5,90			•	•
70 x 15,0	6,99		•	•	•
70 x 16,0	7,32			•	
70 x 20,0	8,48			•	•
71 x 3,0	1,73		•		
75 x 2,5	1,54		•		
75 x 5,0	2,97	•	•	•	•
75 x 6,0	3,51				•
75 x 7,0	4,04		•		
75 x 8,0	4,54				•
75 x 10,0	5,51		•	•	•
75 x 15,0	7,63		•		•
75 x 20,0	9,33				•
76 x 2,5	1,56		•		
76 x 3,0	1,86	•	•		
76 x 4,0	2,44		•		

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
76 x 5,0	3,01		•		
76 x 9,0	5,11				•
80 x 1,5	1,00		•		
80 x 2,0	1,32		•		
80 x 2,5	1,64		•		
80 x 3,0	1,96		•		
80 x 4,0	2,58		•		
80 x 5,0	3,18		•	•	•
80 x 6,0	3,76		•	•	•
80 x 7,0	4,33				•
80 x 8,0	4,88		•	•	•
80 x 10,0	5,93	•	•	•	•
80 x 12,0	6,92				•
80 x 12,5	7,15			•	
80 x 15,0	8,27		•	•	•
80 x 20,0	10,17			•	•
80 x 25,0	11,66				•
82 x 6,0	3,87				•
85 x 1,5	1,06		•		
85 x 2,5	1,75		•		
85 x 5,0	3,39		•		•
85 x 6,0	4,02				•
85 x 10,0	6,36		•		•
85 x 15,0	8,90		•	•	•
85 x 20,0	11,02				•
86 x 3,0	2,11	•	•		
86 x 9,0	5,88		•		
88 x 1,5	1,10		•		
88 x 10,0	6,61				•
90 x 2,0	1,49		•		
90 x 2,5	1,85		•		
90 x 3,0	2,21		•		
90 x 5,0	3,60	•	•	•	•
90 x 6,0	4,27		•		

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
90 x 8,0	5,56		•		•
90 x 10,0	6,78			•	•
90 x 12,0	7,94				•
90 x 15,0	9,54		•		•
90 x 20,0	11,87			•	•
90 x 25,0	13,78			•	
92 x 2,0	1,53		•		
95 x 2,5	1,96		•		
95 x 3,5	2,72		•		
95 x 5,0	3,82				•
95 x 7,5	5,56		•	•	•
95 x 10,0	7,21			•	•
95 x 15,0	10,17				•
95 x 20,0	12,72				•
96 x 3,0	2,37		•		
100 x 2,0	1,66		•		
100 x 2,5	2,07		•		
100 x 3,0	2,47		•		
100 x 4,0	3,26		•		
100 x 5,0	4,03	•	•		
100 x 6,0	4,78			•	•
100 x 7,5	5,88		•		
100 x 8,0	6,24		•	•	•
100 x 10,0	7,63		•	•	•
100 x 12,0	8,95		•	•	
100 x 15,0	10,81			•	•
100 x 16,0	11,39		•		
100 x 20,0	13,56		•	•	•
100 x 25,0	15,90			•	•
100 x 30,0	17,80		•		•
102 x 8,0	6,38				•
105 x 2,5	2,17		•		
105 x 6,0	5,04		•		
105 x 8,0	6,58				•

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
105 x 10,0	8,05				•
105 x 12,5	9,80		•		
105 x 15,0	11,45		•		
106 x 3,0	2,62	•	•	•	
106 x 8,0	6,65		•		
108 x 2,5	2,24		•		
108 x 3,0	2,67		•		
108 x 4,0	3,53		•		
110 x 2,0	1,83		•		
110 x 2,5	2,28		•		
110 x 3,0	2,72			•	
110 x 5,0	4,45	•	•	•	•
110 x 8,0	6,92		•		
110 x 10,0	8,48		•		•
110 x 15,0	12,08		•	•	•
110 x 20,0	15,26			•	•
110 x 25,0	18,02			•	•
110 x 30,0	20,35			•	•
112 x 2,5	2,32		•		
112 x 15,0	12,34		•		
114 x 3,0	2,82		•		
114 x 10,0	8,82		•		
115 x 5,0	4,66		•		
115 x 10,0	8,90		•		
115 x 15,0	12,72		•		
120 x 2,0	2,00		•		
120 x 3,0	2,98		•		
120 x 4,0	3,93		•		
120 x 5,0	4,87		•		•
120 x 6,0	5,80		•		
120 x 8,0	7,60		•	•	
120 x 10,0	9,33		•	•	•
120 x 12,5	11,39		•	•	
120 x 15,0	13,35		•	•	•

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
120 x 20,0	16,96			•	•
120 x 25,0	20,14		•		•
120 x 30,0	22,89				•
125 x 2,0	2,09		•		
125 x 2,5	2,60		•		
125 x 3,0	3,10		•	•	
125 x 3,5	3,61		•		
125 x 4,0	4,10		•		
125 x 5,0	5,09		•	•	
125 x 6,0	6,05		•		
125 x 8,0	7,94		•		
125 x 10,0	9,75		•	•	
125 x 12,0	11,50		•		
125 x 12,5	11,92			•	
125 x 15,0	13,99		•		•
125 x 20,0	17,80		•		•
130 x 3,0	3,23		•		
130 x 4,0	4,27		•		
130 x 5,0	5,30		•	•	•
130 x 7,0	7,30		•		
130 x 10,0	10,17			•	•
130 x 15,0	14,62		•	•	•
130 x 20,0	18,65			•	•
130 x 30,0	25,43		•		•
133 x 3,0	3,31		•		
133 x 4,0	4,37		•		
135 x 5,0	5,51			•	
135 x 10,0	10,60		•		
135 x 20,0	19,50			•	
136 x 3,0	3,38			•	
138 x 3,0	3,43		•		
140 x 3,0	3,48			•	
140 x 4,0	4,61		•		
140 x 5,0	5,72		•		

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
140 x 7,0	7,89		•		•
140 x 8,0	8,95		•		
140 x 10,0	11,02		•	•	•
140 x 12,0	13,02		•	•	
140 x 15,0	15,90		•	•	•
140 x 20,0	20,35			•	•
140 x 25,0	24,37		•	•	
140 x 30,0	27,98			•	
143 x 3,0	3,56		•		
144 x 6,0	7,02			•	
150 x 2,0	2,51		•		
150 x 2,5	3,13		•		
150 x 3,0	3,74		•		
150 x 5,0	6,15		•	•	•
150 x 6,5	7,91		•		
150 x 7,5	9,06		•		
150 x 8,0	9,63			•	
150 x 10,0	11,87		•	•	•
150 x 12,0	14,04				•
150 x 15,0	17,17		•	•	•
150 x 20,0	22,04		•	•	•
150 x 25,0	26,49			•	•
150 x 30,0	30,52		•		•
156 x 3,0	3,89		•		
159 x 4,5	5,89	•			
160 x 3,0	3,99		•		
160 x 5,0	6,57		•		•
160 x 6,0	7,83			•	
160 x 8,0	10,31		•		
160 x 10,0	12,72	•	•	•	•
160 x 12,0	15,06				•
160 x 12,5	15,63			•	
160 x 15,0	18,44			•	•
160 x 16,0	19,53		•		

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
160 x 20,0	23,74				•
160 x 30,0	33,06		•		•
160 x 35,0	37,09			•	
166 x 20,0	24,76			•	
168 x 4,0	5,56	•			
168 x 4,5	6,24	•			
170 x 5,0	6,99		•	•	
170 x 10,0	13,56		•	•	•
170 x 12,5	16,69		•		
170 x 15,0	19,71		•	•	•
170 x 20,0	25,43		•		•
170 x 30,0	35,61				•
175 x 5,0	7,21		•		
180 x 5,0	7,42		•	•	
180 x 6,0	8,85		•	•	
180 x 10,0	14,41		•	•	•
180 x 15,0	20,98		•	•	•
180 x 20,0	27,13		•	•	•
180 x 30,0	38,15				•
180 x 40,0	47,48			•	
185 x 10,0	14,84		•		
190 x 5,0	7,84			•	
190 x 6,0	9,36		•		
190 x 10,0	15,26		•	•	•
190 x 15,0	22,25				•
190 x 20,0	28,83			•	•
193 x 5,0	7,97		•		
194 x 5,0	8,01		•		
200 x 4,0	6,65			•	
200 x 5,0	8,27		•	•	
200 x 6,0	9,87		•	•	
200 x 8,0	13,02		•	•	
200 x 10,0	16,11		•	•	•
200 x 12,5	19,87		•		•

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm	Kg/m ca.	EN AW-1050A Al99,5 O/H111	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T3/T4
200 x 15,0	23,53			•	•
200 x 20,0	30,52			•	•
200 x 25,0	37,09			•	•
200 x 30,0	43,24			•	•
200 x 40,0	54,26			•	
205 x 12,0	19,64			•	
208 x 4,0	6,92		•		
210 x 6,0	10,38			•	
210 x 10,0	16,96		•	•	
210 x 15,0	24,80			•	
210 x 20,0	32,22			•	
219 x 4,0	7,29		•		
219 x 5,0	9,07	•			
220 x 5,0	9,11		•		
220 x 8,0	14,38			•	
220 x 10,0	17,80		•	•	
220 x 12,5	21,99		•	•	
220 x 15,0	26,07			•	
220 x 20,0	33,91			•	
220 x 25,0	41,33			•	
220 x 30,0	48,32			•	
230 x 5,0	9,54	•	•		
230 x 6,0	11,39	•			
230 x 10,0	18,65		•	•	
230 x 15,0	27,34			•	
230 x 16,0	29,03		•		
230 x 20,0	35,61			•	
230 x 30,0	50,87			•	
238 x 4,0	7,94		•		
240 x 5,0	9,96		•		
240 x 10,0	19,50			•	
240 x 15,0	28,61			•	
240 x 20,0	37,30			•	•
240 x 30,0	53,41			•	

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm		Kg/m ca.	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6
245	x	10,0		•
250	x	5,0	•	
250	x	6,0	•	
250	x	8,0		•
250	x	10,0		•
250	x	15,0		•
250	x	20,0		•
250	x	50,0		•
258	x	4,0	•	
260	x	3,5	•	
260	x	5,0	•	
260	x	10,0		•
260	x	12,0		•
260	x	15,0		•
260	x	30,0		•
265	x	40,0	•	
270	x	6,0	•	
280	x	10,0		•
280	x	15,0	•	•
280	x	30,0	•	•
285	x	20,0		•
300	x	10,0	•	•
300	x	11,5	•	
300	x	15,0		•
300	x	20,0		•
300	x	25,0	•	•
300	x	30,0		•
300	x	40,0		•
300	x	50,0	•	•
300	x	60,0		•
300	x	80,0		•
308	x	4,0	•	
310	x	15,0	•	•
310	x	20,0	•	•

Rundrohre

Aluminiumlegierungen

gezogen · gepresst



Abmessung mm		Kg/m ca.	EN AW-6060 AlMgSi T6/T66	EN AW-6082 AlSi1MgMn T6
310	x	25,0	60,41	•
310	x	30,0	71,22	•
320	x	10,0	26,28	•
320	x	15,0	38,79	•
320	x	20,0	50,87	•
320	x	50,0	114,45	•
330	x	10,0	27,13	•
330	x	15,0	40,06	•
330	x	20,0	52,56	•
330	x	25,0	64,64	•
330	x	30,0	76,30	•
330	x	40,0	98,34	•
330	x	50,0	118,69	•
350	x	10,0	28,83	•
350	x	20,0	55,95	•
350	x	25,0	68,88	•
350	x	30,0	81,39	•
350	x	40,0	105,13	•
350	x	50,0	127,17	•
350	x	60,0	147,52	•
350	x	80,0	183,12	•
380	x	10,0	31,37	•
380	x	20,0	61,04	•
380	x	40,0	115,30	•
380	x	50,0	139,89	•
400	x	16,0	52,09	•
400	x	30,0	94,11	•
400	x	65,0	184,61	•
450	x	25,0	90,08	•
450	x	50,0	169,56	•
500	x	20,0	81,39	•
500	x	50,0	190,76	•