

Vierkantstangen

Aluminiumlegierungen

gezogen · gepresst



Abmessung in mm	Kg/m ca.	EN AW-6060 AlMgSi T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T4	EN AW-2011 AlCu6BiPb T3
3 x 3	0,02	•			
4 x 4	0,04	•		•	
5 x 5	0,07	•		•	•
6 x 6	0,10	•	•	•	•
7 x 7	0,13	•	•	•	•
8 x 8	0,17	•	•	•	•
9 x 9	0,22				
10 x 10	0,27	•	•	•	•
12 x 12	0,39	•	•	•	•
14 x 14	0,53	•	•	•	
15 x 15	0,61	•	•	•	•
16 x 16	0,69	•		•	•
17 x 17	0,78		•		

Vierkantstangen

Aluminiumlegierungen

gezogen · gepresst



Abmessung in mm	Kg/m ca.	EN AW-6060 AlMgSi T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T4	EN AW-2011 AlCu6BiPb T3	EN AW-7075 AlZn5,5MgCu T6
18 x 18	0,87	•	•	•	•	
19 x 19	0,97		•			
20 x 20	1,08	•	•	•	•	
22 x 22	1,31	•	•	•		
23 x 23	1,43		•			
24 x 24	1,56	•	•			
25 x 25	1,69	•	•	•		
27 x 27	1,97		•			
28 x 28	2,12			•	•	
30 x 30	2,43	•	•	•	•	•
32 x 32	2,76	•	•	•		
35 x 35	3,31	•	•	•		
36 x 36	3,50			•	•	

Vierkantstangen

Aluminiumlegierungen

gezogen · gepresst



Abmessung in mm	Kg/m ca.	EN AW-6060 AlMgSi T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T4	EN AW-2011 AlCu6BiPb T3	EN AW-7075 AlZn5,5MgCu T6
40 x 40	4,32	•	•	•		•
42 x 42	4,76				•	
45 x 45	5,47	•	•	•		
46 x 46	5,71					
50 x 50	6,75	•	•	•		•
55 x 55	8,17	•	•	•		
60 x 60	9,72	•	•	•		•
65 x 65	11,41	•	•	•		
70 x 70	13,23	•	•	•	•	•
75 x 75	15,19		•	•		
80 x 80	17,28	•	•	•		•
85 x 85	19,51		•	•		
90 x 90	21,87	•	•	•		•

Vierkantstangen

Aluminiumlegierungen

gezogen · gepresst



Abmessung in mm	Kg/m ca.	EN AW-6060 AlMgSi T66	EN AW-6082 AlSi1MgMn T6	EN AW-2007 AlCu4PbMgMn T4	EN AW-7075 AlZn5,5MgCu T6
100 x 100	27,00	•	•	•	•
105 x 105	29,77		•		•
110 x 110	32,67		•	•	•
115 x 115	35,71		•	•	
120 x 120	38,88	•	•	•	•
130 x 130	45,63	•	•	•	
140 x 140	52,92	•	•	•	•
150 x 150	60,75	•	•	•	
160 x 160	69,12	•	•	•	
180 x 180	87,48		•	•	
190 x 190	97,47		•	•	
200 x 200	108,00		•	•	