

Winkelprofile

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
10 x 10 x 1,0	0,05	25 x 25 x 1,0	0,13
10 x 10 x 1,5	0,07	25 x 25 x 1,5	0,20
10 x 10 x 2,0	0,10	25 x 25 x 2,0	0,26
12 x 12 x 2,0	0,12	25 x 25 x 2,5	0,32
15 x 10 x 1,0	0,06	25 x 25 x 3,0	0,38
15 x 10 x 1,5	0,10	25 x 25 x 4,0	0,50
15 x 10 x 2,0	0,12	25 x 25 x 5,0	0,61
15 x 15 x 1,5	0,12	25 x 25 x 6,0	0,71
15 x 15 x 2,0	0,15	30 x 10 x 2,0	0,21
15 x 15 x 3,0	0,22	30 x 15 x 2,0	0,23
20 x 10 x 1,0	0,08	30 x 15 x 3,0	0,34
20 x 10 x 1,5	0,12	30 x 15 x 5,0	0,54
20 x 10 x 2,0	0,15	30 x 20 x 1,5	0,20
20 x 10 x 3,0	0,22	30 x 20 x 2,0	0,26
20 x 15 x 2,0	0,18	30 x 20 x 2,5	0,32
20 x 15 x 2,5	0,22	30 x 20 x 3,0	0,38
20 x 15 x 3,0	0,26	30 x 20 x 4,0	0,50
20 x 20 x 1,0	0,11	30 x 25 x 2,0	0,29
20 x 20 x 1,5	0,16	30 x 25 x 3,0	0,42
20 x 20 x 2,0	0,21	30 x 30 x 1,5	0,24
20 x 20 x 3,0	0,30	30 x 30 x 2,0	0,31
20 x 20 x 4,0	0,39	30 x 30 x 3,0	0,46
20 x 20 x 5,0	0,47	30 x 30 x 4,0	0,60
25 x 10 x 2,0	0,18	30 x 30 x 5,0	0,74
25 x 10 x 3,0	0,26	30 x 30 x 8,0	1,12
25 x 15 x 1,5	0,16	35 x 10 x 2,0	0,23
25 x 15 x 2,0	0,21	35 x 15 x 3,0	0,38
25 x 15 x 2,5	0,25	35 x 15 x 2,0	0,26
25 x 15 x 3,0	0,30	35 x 20 x 2,0	0,29
25 x 20 x 2,0	0,23	35 x 20 x 3,0	0,42
25 x 20 x 2,5	0,29	35 x 25 x 2,0	0,31
25 x 20 x 3,0	0,34	35 x 25 x 3,0	0,46

Winkelprofile

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
35 x 35 x 2,0	0,37	45 x 20 x 3,0	0,50
35 x 35 x 2,5	0,46	45 x 25 x 2,0	0,37
35 x 35 x 3,0	0,54	45 x 30 x 3,0	0,58
35 x 35 x 4,0	0,71	45 x 30 x 5,0	0,95
35 x 35 x 5,0	0,88	45 x 45 x 2,0	0,48
35 x 35 x 6,0	1,04	45 x 45 x 3,0	0,70
40 x 10 x 2,0	0,26	45 x 45 x 4,0	0,93
40 x 15 x 2,0	0,29	45 x 45 x 5,0	1,15
40 x 15 x 2,5	0,35	50 x 10 x 2,0	0,31
40 x 20 x 1,5	0,24	50 x 15 x 2,0	0,34
40 x 20 x 2,0	0,31	50 x 15 x 2,5	0,42
40 x 20 x 2,5	0,39	50 x 15 x 3,0	0,50
40 x 20 x 3,0	0,46	50 x 20 x 2,0	0,37
40 x 20 x 4,0	0,60	50 x 20 x 2,5	0,46
40 x 20 x 5,0	0,74	50 x 20 x 3,0	0,54
40 x 25 x 2,0	0,34	50 x 20 x 4,0	0,71
40 x 25 x 2,5	0,42	50 x 25 x 2,0	0,39
40 x 25 x 3,0	0,50	50 x 25 x 2,5	0,49
40 x 25 x 4,0	0,66	50 x 25 x 3,0	0,58
40 x 30 x 2,0	0,37	50 x 25 x 4,0	0,77
40 x 30 x 3,0	0,54	50 x 25 x 5,0	0,95
40 x 30 x 4,0	0,71	50 x 30 x 2,0	0,42
40 x 30 x 5,0	0,88	50 x 30 x 3,0	0,62
40 x 40 x 1,5	0,32	50 x 30 x 4,0	0,82
40 x 40 x 2,0	0,42	50 x 30 x 5,0	1,01
40 x 40 x 3,0	0,62	50 x 35 x 4,0	0,87
40 x 40 x 4,0	0,82	50 x 35 x 5,0	1,08
40 x 40 x 5,0	1,01	50 x 40 x 2,0	0,48
40 x 40 x 6,0	1,20	50 x 40 x 3,0	0,70
45 x 10 x 2,0	0,29	50 x 40 x 4,0	0,93
45 x 15 x 2,0	0,31	50 x 40 x 5,0	1,15
45 x 20 x 2,0	0,34	50 x 50 x 2,0	0,53

Winkelprofile

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
50 x 50 x 3,0	0,79	60 x 60 x 3,0	0,95
50 x 50 x 4,0	1,04	60 x 60 x 4,0	1,25
50 x 50 x 6,0	1,52	60 x 60 x 5,0	1,55
50 x 50 x 5,0	1,28	60 x 60 x 6,0	1,85
50 x 50 x 8,0	1,99	60 x 60 x 7,0	2,14
50 x 50 x 10,0	2,43	60 x 60 x 8,0	2,42
60 x 10 x 2,0	0,37	60 x 60 x 10,0	2,97
60 x 10 x 2,5	0,46	65 x 15 x 2,0	0,42
60 x 15 x 2,0	0,39	65 x 20 x 2,0	0,45
60 x 20 x 2,0	0,42	65 x 20 x 3,0	0,66
60 x 20 x 2,5	0,52	65 x 25 x 2,5	0,59
60 x 20 x 3,0	0,62	65 x 50 x 6,0	1,77
60 x 20 x 3,0	0,62	65 x 65 x 6,0	2,01
60 x 25 x 2,0	0,45	70 x 15 x 2,0	0,45
60 x 25 x 2,5	0,56	70 x 20 x 2,0	0,48
60 x 25 x 3,0	0,66	70 x 25 x 2,5	0,62
60 x 25 x 4,0	0,87	70 x 30 x 2,0	0,53
60 x 30 x 2,0	0,48	70 x 30 x 3,0	0,79
60 x 30 x 3,0	0,70	70 x 50 x 3,0	0,95
60 x 30 x 4,0	0,93	70 x 60 x 6,0	2,01
60 x 30 x 5,0	1,15	70 x 70 x 2,5	0,93
60 x 30 x 6,0	1,36	70 x 70 x 5,0	1,82
60 x 40 x 2,0	0,53	70 x 70 x 6,0	2,17
60 x 40 x 3,0	0,79	75 x 50 x 4,0	1,31
60 x 40 x 4,0	1,04	75 x 50 x 5,0	1,62
60 x 40 x 5,0	1,28	75 x 50 x 6,0	1,93
60 x 40 x 6,0	1,52	75 x 50 x 7,0	2,23
60 x 50 x 2,0	0,58	80 x 15 x 2,0	0,50
60 x 50 x 4,0	1,14	80 x 20 x 2,0	0,53
60 x 50 x 6,0	1,68	80 x 25 x 2,5	0,69
60 x 60 x 2,0	0,64	80 x 30 x 3,0	0,87
60 x 60 x 2,5	0,79	80 x 40 x 2,0	0,64

Winkelprofile

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
80 x 40 x 3,0	0,95	100 x 60 x 10,0	4,05
80 x 40 x 4,0	1,25	100 x 65 x 5,0	2,16
80 x 40 x 5,0	1,55	100 x 65 x 7,0	2,99
80 x 40 x 6,0	1,85	100 x 70 x 2,0	0,91
80 x 40 x 8,0	2,42	100 x 75 x 2,0	0,93
80 x 50 x 4,0	1,36	100 x 80 x 3,0	1,43
80 x 50 x 5,0	1,69	100 x 80 x 4,0	1,90
80 x 50 x 6,0	2,01	100 x 80 x 6,0	2,82
80 x 60 x 4,0	1,47	100 x 80 x 10,0	4,59
80 x 60 x 6,0	2,17	100 x 100 x 3,0	1,60
80 x 80 x 3,0	1,27	100 x 100 x 4,0	2,12
80 x 80 x 4,0	1,68	100 x 100 x 6,0	3,14
80 x 80 x 5,0	2,09	100 x 100 x 8,0	4,15
80 x 80 x 6,0	2,49	100 x 100 x 9,0	4,64
80 x 80 x 8,0	3,28	100 x 100 x 10,0	5,13
80 x 80 x 10,0	4,05	105 x 105 x 4,0	2,22
90 x 30 x 2,5	0,79	111 x 30 x 2,0	0,75
90 x 90 x 3,0	1,43	120 x 20 x 2,5	0,93
100 x 20 x 2,0	0,64	120 x 40 x 3,0	1,27
100 x 30 x 2,0	0,69	120 x 40 x 4,0	1,68
100 x 30 x 3,0	1,03	120 x 50 x 5,0	2,23
100 x 40 x 2,0	0,75	120 x 60 x 2,0	0,96
100 x 40 x 3,0	1,11	120 x 60 x 6,0	2,82
100 x 40 x 4,0	1,47	120 x 60 x 8,0	3,72
100 x 40 x 6,0	2,17	120 x 60 x 10,0	4,59
100 x 50 x 3,0	1,19	120 x 80 x 3,0	1,60
100 x 50 x 5,0	1,96	120 x 80 x 6,0	3,14
100 x 50 x 6,0	2,33	120 x 80 x 10,0	5,13
100 x 50 x 10,0	3,78	120 x 100 x 4,0	2,33
100 x 60 x 2,0	0,85	120 x 100 x 8,0	4,58
100 x 60 x 6,0	2,49	120 x 120 x 10,0	6,21
100 x 60 x 8,0	3,28	120 x 120 x 12,0	7,39

Winkelprofile

EN AW-6060 AlMgSi T6 / T66

stranggepresst · Herstelllängen ca. 6 m



Abmessung in mm	Kg/m ca.	Abmessung in mm	Kg/m ca.
125 x 80 x 8,0	4,26	150 x 75 x 10,0	5,81
130 x 30 x 3,0	1,27	150 x 100 x 5,0	3,31
130 x 65 x 9,0	4,52	150 x 100 x 10,0	6,48
130 x 80 x 6,0	3,30	160 x 40 x 3,0	1,60
130 x 80 x 8,0	4,36	160 x 40 x 4,0	2,12
140 x 40 x 3,0	1,43	160 x 40 x 12,0	6,09
140 x 40 x 4,0	1,90	180 x 80 x 10,0	6,75
140 x 40 x 6,0	2,82	180 x 150 x 6,0	5,25
150 x 40 x 4,0	2,01	200 x 40 x 3,0	1,92
150 x 50 x 4,0	2,12	200 x 100 x 10,0	7,83
150 x 50 x 8,0	4,15	230 x 100 x 3,0	2,65
150 x 75 x 8,0	4,69	250 x 100 x 3,0	2,81

Sie suchen Winkelprofile mit beschichteter Oberfläche?

Alle hier aufgeführten Abmessungen liefern wir auch eloxiert oder pulverbeschichtet. Kurzfristig!

Sprechen Sie uns bitte unbedingt an... +49 (0) 2058 8989383 sales@metallhaus-erdem.de